

#### ATTORNEY'S DOCKET NO. V0077/7155

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Joseph C. Olson et al

Serial No:

09/825,901

Filed:

April 4, 2001

(

CONTROL SYSTEM FOR INDIRECTLY HEATED CATHODE ION SOURCE

Examiner:

unk.

Art Unit:

2878

COMMISSIONER FOR PATENTS WASHINGTON, D.C. 20231

Sir:

Transmitted herewith is/are the following document(s):

- [x] Copy of Notice to File Corrected Application Papers
- [x] Letter to Official Draftsman
- [x] Seven Sheets of Formal Drawings (Figs. 1-7)
- [x] Return Receipt Postcard

If the enclosed papers are considered incomplete, the Mail Room and/or the Application Branch is respectfully requested to contact the undersigned at (617) 720-3500, Boston, Massachusetts.

The fee in the amount of \$0 to cover the surcharge may be charged to Deposit Account No. 50-0896. If the fee is insufficient, the balance may be charged to Deposit Account No. 50-0896. A duplicate of this sheet is enclosed.

I HEREBY CERTIFY THAT THIS

CORRES - UNDENCE IS DEPOSITED WITH THE UNITE UNI

WASHINGTON, DC 20231, ON

JUNE 19, 2001

DATE

William R. Mc Clallan

Docket No. V0077/7155

June \_/ 7, 2001

07/10/01

Respectfully Submitted,

William R. McClellan, Reg. No. 29,409

Wolf, Greenfield & Sacks, P.C.

600 Atlantic Avenue

Boston, MA 02210-2211

Tel. (617) 720-3500

## United States Patent and Trademark Office



APPLICATION NUMBER FILING/RECEIPT DATE FIRST NAMED APPLICANT ATTORNEY DOCKET NUMBER

09/825,901, 04/04/2001 Joseph C. Olson V0077/7155

**CONFIRMATION NO. 3673** 

**FORMALITIES LETTER** Gary L. Loser Varian Semiconductor Equipment Associates, Inc 000000006063842 35 Dory Street File Folder Gloucester, MA 01930 ECB DOCKETED Docket Entry Docket Cross Off Date Mailed: 05/10/2001 JUN - 6 2001 Order Gopies Annances Confirmation NOTICE TO FILE CORRECTED APPLICATION PAPERS

## Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice <u>MUST</u> be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART I - ATTORNEY/APPLICANT COPY



Attorney Docket No: V0077/7155

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Joseph C. Olson et al

Serial No:

09/825,901

Filing Date:

April 4, 2001

For:

CONTROL SYSTEM FOR INDIRECTLY HEATED CATHODE ION SOURCE

Examiner:

unk.

Art Unit:

2878

Attn: Official Draftsperson

**Assistant Commissioner for Patents** 

Washington, DC 20231

Sir:

### LETTER TO OFFICIAL DRAFTSPERSON

Subject to the approval of the Examiner in this case, enclosed for filing are Seven sheets of formal drawings, Figures 1 through 7, for the above-referenced patent application.

The Commissioner is hereby authorized to charge any fees which may be required to Deposit Account No. 50-0896. A duplicate of this sheet is enclosed.

Respectfully submitted,

Joseph C. Olson et al

I HEREBY CERTIFY THAT THIS

CORRESPONDENCE IS DEPOSITED WITH THE UNITED STATES POSTAL RECOICE A CHRIST CLASS MAIL IN AN ENVELUEE ADE TOSED TO:

ASSISTANT COMMISSIONED FOR FAIRLIS,

WASHINGTON, DC 20231, OH

Attorney Docket No. V0077/7155

June 19, 2001 X07/10/01

William R. McClellan

Registration No. 29,409

Wolf, Greenfield & Sacks, P.C.

600 Atlantic Avenue

Boston, Massachusetts 02210

Telephone: (617) 720-3500